



Discomatic Mambo
The best just got better



Discomatic Mambo

Made in Switzerland

1720 m² Theoretical area performance

43 cm Working width

36 l Fresh / waste water tank

3.6 h Battery life

The Discomatic Mambo from Wetrok combines concentrated cleaning power and amazing endurance with almost limitless agility and effortless operation. The use of high-quality components and carefully designed details help to reduce operating costs and increase efficiency. In addition, they enable environmentally friendly cleaning with outstanding results – ideal for greater cost-effectiveness per m² on small and medium-sized areas.



Power Whirl
Patented and innovative for maximum suction efficiency



Lithium iron phosphate battery
for consistently high performance



Automatic dosing system
for precise and demand-dependent use of chemicals



Quick Refill
Time-saving water filling with overflow protection



High-performance cleaning quality



Manoeuvrable and compact for every cleaning job



Durable thanks to robust construction and reliable technology



Effortless servicing and simplified handling



High cleaning performance thanks to double discs / brushes system

Two efficient discs / brushes guarantee brilliant cleaning results and particularly high brush pressure. Combined with our powerful lithium iron phosphate battery, a long service life is ensured.



Effortless guidance with Self-Drive

Supported by the double drive system, the powerful Self-Drive effect delivers ergonomic and comfortable propulsion. This makes guiding the machine precise and easy.



Intuitive operation

From activating the brushes and suction to adjusting the amount of water – with just four control buttons, using the machine is extremely easy and eliminates lengthy training with staff.



Ergonomic and manoeuvrable

The height-adjustable handle can be adapted to body size and different situations even when the machine is running. Turning at tight angles and corners are no problem, plus it takes up surprisingly little space when transporting or storing.



Easy transport thanks to support wheel

Once the cleaning job is complete, a support wheel is automatically lowered to lift the machine. This makes it very easy to transport the machine from one location to another.



Whisper-quiet cleaning

Noise reduction to 60db(A) thanks to the sound-insulated suction motors enables economical cleaning of highly frequented and noise-sensitive areas without any loss of performance.



HEPA filter for the highest standard of hygiene


The easily replaceable HEPA filter cleans the outgoing exhaust air and significantly reduces the spread of germs. This ensures increased hygiene and safety, especially in sensitive areas.



Simplified handling

The patented magnetic suction lips can be replaced without tools. Water can be refilled automatically and quickly with Quick Refill. The well designed tank guarantees quick and easy cleaning.

Discomatic Mambo: for efficient and thorough cleaning of small to medium-sized areas in care facilities, industrial buildings, airports, schools, restaurants, stores, office buildings, etc.



© Copyright by Wetrok AG, 05/2024

Technical specifications

Modell

Model No.

Standard

Mambo

50430

Mambo Dosing

50431

Pro

Mambo

50440

Mambo Dosing

50441

Basic equipment

Lithium iron phosphate battery

25.6V/34.2 Ah

25.6V/49.4 Ah

On-board charger

●

●

●

●

Suction nozzle complete

●

●

●

●

Front sealing lip NR

●

●

●

●

Rear working lip NR

●

●

●

●

Special equipment

Hepa Filter system

●

●

●

●

Quick-Refill system

–

●

●

●

Dosage system

–

●

–

●

Technical data

Theoretical area performance

1720 m²/h

1720 m²/h

Total height

113 cm

113 cm

Total length

102 cm

102 cm

Total width

60.5 cm

60.5 cm

Vacuum

90 mbar

90 mbar

Airflow rate

15 l/s

15 l/s

Suction turbine power

300 W

300 W

Working width brushing

43 cm

43 cm

Brush speed

200 /min

200 /min

Brush motor power

2 × 100 W

2 × 100 W

Working width vacuuming

56 cm

56 cm

Underride height

73 cm

73 cm

Fresh water tank

36 l

36 l

Waste water tank

36 l

36 l

Drive type

Self-Drive

Self-Drive

Working sound level

60 / 59 dB(A) (Eco)

60 / 59 dB(A) (Eco)

Brush quantity

2 pcs.

2 pcs.

Brush contact pressure

31.5 kg (0.62 N/cm²)

31.5 kg (0.62 N/cm²)

Gross weight (incl. batteries)

60.5 kg

63.1 kg

Net weight (without batteries)

52.8 kg

52.8 kg

Detergent dosage

0.5 – 4.5 %

0.5 – 4.5 %

Battery life in Eco-mode

up to 2.5 h

up to 3.6 h

Learn more



www.wetrok.com

Wetrok AG Steinackerstrasse 62, CH-8302 Kloten, info@wetrok.ch, Tel. +41 43 255 51 51

Wetrok Austria GmbH Deutschstrasse 19, A-1230 Wien, info@wetrok.at, Tel. 0800 20 48 68

Wetrok GmbH Maybachstrasse 35, D-51381 Leverkusen, info@wetrok.de, Tel. +49 2171 398-0

Wetrok Polska S.A. ul. Łączyny 4, PL-02-820 Warszawa, warszawa@wetrok.pl, Tel. +48 22 331 20 50

Wetrok AB Kyrkvägen 1 G, SE-192 72 Sollentuna, info@wetrok.se, Tel. +46 8 444 34 00

