



GAOMEI CREATIVE FOR YOU

www.chinagaomei.com

GAOMEI CREATIVE FOR YOU

Hefei GAOMEI Cleaning Equipment Co., Ltd., established in 1997, covering 13000 sq.m. manufacturing base, is a renowned professional cleaning equipment manufacturer with import and export rights. For decades of development, GAOMEI, integrating R&D, rotational molds manufacturing, production assembly, are dedicated to manufacturing professional world-class cleaning equipment and rotational molds. Enlightened by the centenary achievements, GAOMEI is rising in a new era characterized with ever-changing technological innovations, striving hard for future.

Our mission is to attain the harmony combination of centenary accomplishments and the most advanced science & technology, creating "Modern GAOMEI " products! As a professional manufacture of cleaning equipment, we have owned ten national patents, such as ZL2011203877159, ZL2009201806132, ZL2006201690749, ZL2007200466702, etc. At present, GAOMEI are proud of complete series of optimal top-quality dry foam sofa & upholstery cleaning machines in the world; a full range of carpet cleaning machines with creativity and competitiveness, capable of meeting different requirements for carpet cleaning. Besides, we professionally manufacture cleaning machines, including multi-functional single disc scrubbing machines, foaming tanks, vacuum cleaners, wet & dry cleaners, carpet extractors, blowers, high pressure washers and floor scrubbers, all of which enjoy wide popularity among the clients for commercial and industrial application. Our professional cleaning equipments are well exported to Southeast Asia, Australia, South Asia, Eastern Asia, Europe, the Middle East, Americas, etc.



Contents

Multi-functional brush machine series	03 - 09
Blower	10
Vacuum cleaner series	11 - 14
Carpet cleaning machine series	15 - 20
Dry foam sofa cleaning machine series	21 - 24
Escalator cleaning machine	25



FB-1517/MF-10

Single-Brushing Machine with Central Foaming/ Foaming Tank



Patent No.:

ZL2009201806132

ZL2011203877159

**Remarkable benefits are achieved
by replacing the wet cleaning with
dry foam cleaning**

(as waxing being replaced by crystallizing
surface treatment for stone materials)

Good Solution to the Existing Problems in Carpet Cleaning below:

- Solution to the situation that if a carpet is cleaned by a brushing machine with water tank, it will become too moist to get dry, making surface stains become ineradicable ones and causing damage to the carpet within 1 or 2 years; as a result, the cost of carpet use is unimaginably high.
- First-class Cleaning Effect: the machine removes obvious dirt and filth in highly efficient way, especially suitable for the areas with high visitor flow rate and easily polluted canteens; it is capable of eliminating stains and dirt that are hard for a traditional foaming tank coordinated with a brushing machine to clean away.

Application:

Fast drying and first-class cleaning performance ensure cleaned carpets can be available for use at once, especially for mid-term carpet care, suitable for carpet venues, such as hospitals, hotels, restaurants and cleaning companies, etc. In coordination with a GM-3/5 swing brush carpet cleaning machine, it provides thorough cleaning for carpets, suitable for consistent carpet maintenance and always keeping carpets beautiful and tidy.

GAOMEI Exclusive Technical Advantages:



- Carpet cleaning with dry foam, able to get dry within 2 hours for the purpose of business and maintain ever-lasting beautiful looks of carpets.
- Effectively removing obvious dirt and filth, suitable for cleaning all types of carpets.



Patent No.: ZL2009201806132

- More Convenient for Use: two-in-one (foam tank & water tank) design solves the problem of changing respectively shifting use of water tank and foam tank in floor and carpet cleaning.



Patent No.: ZL2011203877159

- Whole sealed gear oil; coupling for connecting motor and gearbox.

Benefits:

- Durable in use, drastically lowering the failure rate and maintenance cost for both motor and gearbox, convenient for maintenance.
- Dismountable pad, suitable for cleaning corners, such as stairs.

Standard Accessories: foaming brush, floor brush, pad holder

Technical Specification:

Model	FB-1517	Model	MF-10
Voltage	220V	Voltage	220V
Power	1.5HP	Water pump	56W
Rotate speed/min	150rpm	Air pump	50L/min
Diameter of polishing disc	17"	Capacity	10L
Cable length	12m	Weight	7kg
Weight	38kg		

FB-2017B/MF-10

Foam Crystallizing Surface Multi-functional Brushing Machine / Foam Tank

The world's unique multi-functional floor dry-foam brushing machine, capable of cleaning carpet with dry foam, treating stone materials with crystallizing surface, cleaning and waxing floors. It is particularly suitable for venues furnished with stone materials and carpets, such as express hotels, clubs, and cleaning companies, etc.



Patent No.:

ZL2009201806132

ZL2011203877159



Patent No.: ZL2009201806132

More Convenient for Use: two-in-one (foam tank & water tank) design solves the problem of changing respectively shifting use of water tank and foam tank in floor and carpet cleaning.



Patent No.: ZL2011203877159

Whole sealed gear oil; coupling for connecting motor and gearbox.

- Benefits:**
- 1.Durable in use, drastically lowering the failure rate and maintenance cost for both motor and gearbox, convenient for maintenance.
 - 2.Dismountable pad, suitable for cleaning corners, such as stairs.

GAOMEI Exclusive Technical Advantages:

- 1.Carpet cleaning with dry foam, able to get dry within 2 hours for the purpose of business and maintain ever-lasing beautiful looks of carpets.
- 2.Solution to the situation that if a carpet is cleaned by a brushing machine with water tank, it will become too moist to get dry, making surface stains become ineradicable ones and causing damage to the carpet within 1 or 2 years.
- 3.Effectively remove obvious dirt and filth, suitable for cleaning all types of carpets.
- 4.Eliminate stains and dirt that are hard for a traditional foaming tank coordinated with a brushing machine to clean away.



- 5. Equipped with 70kg ring-type weighting blocks and 2HP super power motor, it can be transformed into professional processor for crystallizing surfaces of stone materials.



Standard Accessories:

aluminum alloy renewing disc (4KG), pad holder, foam brush, floor brush, ring-type weighting block (15KG)

Technical Specification:

Model	FB-2017B	Model	MF-10
Voltage	220V	Voltage	220V
Power	2.0HP	Water pump	56W
Rotate speed/min	150 rpm	Air pump	50L/min
Diameter of polishing disc	17"	Capacity	10L
Cable length	12m	Weight	7kg
Weight	43kg		

FB-2017

Crystallizing Surface Renewing Machine

Professional Machine
Shinning Effect



Application:


Based on the principle of mechanics, the crystal surface polishing & renewing machine FB-2017 adopts eccentric motor design, coupled with in-built aluminum alloy disc, making more convenience. With 70kg net weight and power 2HP motor torque, it provides overwhelming effect in stone treatment. Specially designed for renewing stone materials and crystallizing surface, it is suitable for the places paved with top-end stones in large areas, such as, hotels, restaurants, etc.

Advantages:

- 2HP motor with super powerful torque and 70KG net weight, producing an overwhelming effect in stone treatment.
- Rotary cable hook, capable of releasing the whole cable at a time.



- In-built aluminum alloy disc



- Diamond disc, pad holder

Standard Accessories:

water tank, diamond disc, pad holder

Technical Specification:

Model	FB-2017
Voltage	220V
Power	2.0HP
Rotate speed/min	150 rpm
Diameter of polishing disc	17"
Cable length	12m
Weight	70kg

FC-2517

Weighted Stone Renewing Machine

Mighty Power
High Efficient
Durable




Application:

FC-2517 weighted Renewing Machine is excellent for stone refurbishment when coupled with 40kg weighting blocks and a 4kg aluminum alloy refurbished plate, total weight 97kg. It can also be used for cleaning, maintaining and waxing various floors, suitable for industrial and mining institutions, buildings, business halls, and perfectly for cleaning companies in daily care and special treatment of stones.



- 40kg weighting blocks, a 4kg aluminum alloy renewing disc, total weight 97kg, especially for renewing granite.



- Dismountable pad, suitable for cleaning corners, such as stairs.



- Unique handle connection design, super strong.

Standard Accessories:

Water tank, floor brush, pad holder, aluminum alloy renewing plate (4kg), weighting blocks

Technical Specification:

Model	FC-2517
Voltage	220V
Power	2.0HP
Rotate speed/min	150 rpm
Diameter of polishing disc	17"
Cable length	12m
Weight	53kg
Weighting block	40kg

FC-1517

Multi-functional Floor Brushing Machine

Strong, Powerful, Durable




Application:

Integrated with multiple functions, including hard floor cleaning, waxing, spraying & polishing maintenance, and carpet care, it is suitable for restaurants, hotels, office buildings, schools, hospitals, especially for cleaning companies, etc.



- In-built start switch protection system, safe & convenient



- Dismountable pad, suitable for corner use, such as stairs.



- Rotate cable hook, able to release the whole cable at a time.

Standard Accessories:

Water tank, pad holder, floor brush, carpet brush.

Technical Specification:

Model	FC-1517
Voltage	220V
Power	1.5HP
Rotate speed/min	150 rpm
Diameter of polishing disc	17"
Cable length	12m
Weight	52kg

B-3

Three-Speed Air Blower

Strong wind
Easy mobility



Application:

Applied to clean hard floors ,carpets, wet indoor environments, indispensable device, best suitable for hotels, restaurants, office buildings, hospitals, and industrial & mining enterprises, etc.

Advantages:

- Strong wind, low noise
- Motor mesh preventing motor from sucking impurities.
- Retractable pull rod, equipped with wheels, convenient for movement.
- Three-speed adjustment, capable of meeting the needs in different surroundings.
- Able to blow wind from three angles (0/45/90 degrees), adjustable wind directions as wished.

Technical Specification:

Model	B-3		
Voltage	220V		
Power	850W		
Speed adjustment	3-speed		
Air Volume	L-100 cbm/min	M-130 cbm/min	H-160 cbm/min
Dimension	L450*W430*H520mm		

W36/W70/W86

Wet & dry Vacuum Cleaner Series

Far beyond Tradition
Simple & Durable

Application:

Dust and water suction, wet and dry dual-purpose, supreme quality motor for non-stop work for 1,000hrs, polyethylene material, acid-resistant alkali-resistant, collision-resistant, and thus more durable.

Suitable for the services in hotels, restaurants, canteens, mansions, offices, schools, hospitals, supermarkets, car cleaning companies, and industrial and mining enterprises, etc.



W36



W70

Technical Specification:

Model	W36	W70	W86
Voltage	220V	220V	220V
Power	1200W	1200W	1200W x 2
Capacity	36L	70L	86L
Suction power	85"	85"	85"
Air flow	95 CFM	95 CFM	190 CFM
Cable length	10m	10m	10m
Weight	16 kg	20 kg	29 kg
Dimension	L465*W450*H540mm	L485*W610*H905mm	L540*W710*H900mm

Advantages:



- Washable filter cartridge, 100% prevention against dust particles entering into motor, avoiding damage to motor due to high temperature friction.



- Machine body shaped by rotational molding, integrated parts including bottom, bucket, bracket, handle, simplified and beautiful, superior to traditional vacuum cleaners.
- Polyethylene material, acid-resistant, alkali-resistant, collision-resistant, more durable.



- Concave top cover, easy for placing tools.
- Cable hook, convenient for hanging or releasing cables.



W86



The inlet for adding anti-foaming detergent, humanized design



Build-in groove, convenient for movement.



Transparent drain pipe, easy for discharge, apparent water level.



Standard accessories

V-15/V-20

Ultra-low Noise Vacuum Cleaner

Flexible Operation
Strong Suction



Application:

GAOMEI vacuum cleaner is characterized with strong suction and an ultra-low noise. By adopting noise-reducing ventilation duct, it solves the muffling method of wrapping vacuum motor with muffling sponge which are prone to cause unsmooth air exhaust, affect suction force and shorten the service life of vacuum motor due to accumulated heat, specially suitable for daily care of dust suction for hard floors and all kinds of carpets.

Highly excellent for venues furnished with carpets, such as hotels, restaurants, clubs, office buildings, conference centers, and catering areas, etc.

Advantages:

- 1200W, powerful suction.
- Adopt spiral air duct to lower noise, minimizing the noise to 59 decibels.
- Supreme motor, the capacity of non-stop work for 1,500hrs, long life span.
- 3-layer filtering system, discharge air, clean & neat.
- Small, flexible, convenient.

Standard Accessories:



Technical Specification:

Model	V-15	V-20
Voltage	220V	220V
Power	1200W	1200W
Capacity	15L	20L
Suction power	80"	80"
Air flow	120 CFM	120 CFM
Noise	59dB	59dB
Cable length	10m	10m
Weight	5.8 kg	6.2 kg

FCC35

Foaming Carpet Cleaning Machine

Flexible Operation
Fast Drying



Application:

Three-in-one (foam making, roll brushing, water suction). Rapid drying and first-class cleaning performance ensure the instant use of carpet, perfectly suitable for mid-term carpet maintenance. Together with a GAOMEI C4 High-Pressure Carpet Extraction Machine for thorough cleaning, able to meet the need for continuous maintenance and offer enduring beauty and tidiness.

Suitable for venues paved with carpets, such as hotels, inns, restaurants, office buildings, and cleaning companies, etc.

GAOMEI Exclusive Technical Advantages:

- Three-in-one (foam making, roll brushing, water suction), high efficiency.
- Foam cleaning, fast drying, ensure instant use of carpet.
- Light, flexible, and convenient, with working height of only 45cm, especially convenient guest rooms, etc.

Benefit of Fast Drying:

- Areas & carpets can be open instantly.
- Frequent cleaning, improving carpet appearance in the areas with large visitor flows.

Benefit of 70% Water-saving:

- With the same volume of water, the cleaning area is many times as large as that done by a traditional machine.
- Cut down the times of water adding and discharging, then reduce workload.



Technical Specification:

Model	FCC35
Voltage	220V
Water pump	56W
Air pump	50L/min
Roll brush motor	180W
Vacuum motor	1000W
Solution tank/Recovery tank	15L/16L
Cleaning width	350mm
Squeegee width	420mm
Dimension	L680*W430*H1000mm

GM-3/5 & GM-4/5

Swing Brushing Carpet Cleaning Machine

High Quality
Extraordinary ability

Carpet renovation, just like renewing stone materials, not only brings a bright and new look to your environment, but also avoids bad impacts on normal business operation and creates remarkable value.

Renewing cleaning is a must for both severely polluted canteen carpets and old carpets in which too much dirt and filth are buried deeply.

Like a doctor, GAOMEI Swing Brushing Carpet Cleaning Machine is capable of eliminating serious contaminations and deep dirt, and restoring clean and graceful carpet appearance, suitable for venues, such as hotel canteens, ball rooms and catering restaurants, etc.



Application:

Three-in-one (powerful spraying, high speed swing brushing, vacuum suction).
Outstanding cleaning effect, instantly restore clean and graceful carpet appearance.
Suitable for restaurants, KTV, hotels, etc, especially for renewing severely polluted carpets in which too much dirt and filth are buried deeply.

Advantages:

- High-pressure water pump (160PSI) is equipped with 5 groups of nozzles to fully vaporize 60 °C hot water, multiply enhancing speed of dissolving dirt and dissolution.
- High-speed swing brush (2800 times / min) thoroughly cleans impurities, sand, mud, and detergent residue left in the carpet, loosens carpet fiber, and restores carpet flexibility.



- Two units of 3-stage vacuum motor (1400W x 2) have strong ability to completely suck in all impurities. Business gets started in a dry environment within two hours.



- Pedal-type adjustment device with machine handle makes operation much easier.



Standard accessories:

- A** Stainless steel wand: water spraying and extracting are in synchronization to clean the floating dust which adheres to the furniture, stairs, corner, etc.
- B** 2.8m retractable vacuum hose (extended to 8m) and 7.5m high pressure water spraying pipe allow main machine to be placed out of room, while only wand finishes cleaning the room.

Technical Specification:

Model	GM-3	GM-4	Model	GM-5
Voltage	220V	220V	Cleaning width	41cm
Water pump	160PSI	160PSI	Motor	180w
Vacuum motor	1400W*2	1400W*2	Vibration frequency	2800/min
Solution water/recovery water	30L/35L	50L/70L	Handle	Pedal height adjustment
Sensor	50W	50W	Swing brush	Adjustable pressure
Weight	42kg	52kg	Weight	26kg

C-1&C-2&C-3

Carpet Extraction Machine

Application:

Making use of warm water to spray and dissolve stains, extract waste water and suck back into sewage tank, and capable of cleaning rug carpet and small & medium size carpets.

Suitable for carpet stores, automobile care stores, car dealers, offices and cleaning companies, etc.



C-1 for rug carpet



C-2 for small-size carpet

Cleaning procedure:

Spray detergent on the carpet or other object plane to clean, then use C4 high-pressure carpet extraction machine. With remarkable effect and minimum detergent residue, it is perfectly suitable for serving top-grade carpets.

C-2/C-3 Spare part: wand

Optional spare part: sprayer



C1/C2 -Advantages:

- Two-in-one (spraying and suction), quick to dry.
- Recovery tank fixed with a handle, convenient for dumping.
- Big tail wheel with retractable pull rod, easy for movement.
- Polyethylene body, sturdy and durable.

C3 -Advantages:

- 160PSI powerful spraying together with synchronous suction, able to thoroughly clean carpets.
- Two 3-stage vacuum motors extremely powerful suction, realizing business operation within two-hour drying.
- Cleaning wand as wide as 30cm, highly efficient, convenient for cleaning the bottoms of desks and chairs.
- Polyethylene machine body and supreme stainless steel cleaning wand, firm and durable.



C-3 for medium-size carpet

Technical Specification:

Model	C-1	C-2	C-3
Voltage	220V	220V	220V/110V
Water pump	80PSI	80PSI	160PSI
Vacuum motor	600W	1000W	1400W x 2
Solution tank/Recovery tank	8L/5L	15L/10L	30L/35L
High pressure water pipe	4M	4M	7.5M
Retractable Hose length	1.4M(Extension Ratio1:3)	1.4M(Extension Ratio1:3)	2.8M(Extension Ratio1:3)

C-4

High-Pressure Carpet Extraction Machine

1000 PSI high pressure,
2800w powerful suction,
Guarantee the carpets as clean as new one
Without odor,
Suitable for cleaning top-grade carpets




Application:

1000PSI high-pressure steam cleaning, two powerful 3-stage vacuum motors, capable of deeply cleaning carpets, guaranteeing the carpets cleaned as tidy as new ones without odor, suitable for top-grade carpets.

Suitable for venues furnished with carpets, such as hospitals, clubs, office buildings, conference centers, carpet stores and cleaning companies, etc.



1000PSI high-pressure steam cleaning, 2800W synchronous powerful suction, carpets instantly freshly renewed.



Stainless steel cleaning wand as wide as 30cm, highly efficient and convenient for cleaning the bottoms of desks and chairs, etc.



1000PSI super strong pressure, without friction, capable of thoroughly cleaning carpet dirt that is hard to remove.



Two 3-stage vacuum motors for extraction, extremely powerful suction, business gets started within two hours.



Cleaning wand: cleaning surface dusts on upholstery & furniture.



Optional Accessories : Electric sprayer

Cleaning procedure:

Spray detergents on the carpet or other object to clean, then use C4 high-pressure carpet extraction machine. With remarkable effect and minimum detergent residue, it is perfectly suitable for serving top-grade carpets.

Standard accessories: Stainless steel wand, 7.5m high pressure water spraying pipe, 2.8m retractable vacuum hose (Extension Ratio1:3)

Optional spare part: electric sprayer

Technical Specification:

Model	C-4
Voltage	220V/110V
Water pump	1000PSI
Vacuum motor	1400W X 2
Solution tank/Recovery tank	50L/70L
High pressure water pipe	7.5M
Retractable Hose length	2.8M(Extension Ratio1:3)

GMS-1 & GMS-2

Dry Foam Sofa Cleaning Machine

Application:

GAOMEI dry foam sofa cleaning machine is 3-in-1 (foam making, brushing, water suction), professional machine for cleaning upholstery and decorations, suitable for the services in hotels, restaurants, clubs, office buildings, entertainment venues, theatres, upholstery fabric factories and cleaning companies, etc.

Two Essential Needs for Cleaning Sofas and Banqueting Chairs:

1. Clean and tidiness required, no negative impacts on normal operation due to humidity.
2. Long service life required, without damages such as holes or pores to shorten service life.

Dry Foam Sofa Cleaning Professional Service



Outstanding Economic Benefits:

Take the catering industry for an example: for a restaurant mainly engaged in business catering that is furnished with about 1,000 sofa chairs, about 200 ones are cleaned each week, namely, annual cleaning workload equivalent to 200×52 (weeks) = 10,000; and if a cleaning company is employed for the service, the annual cleaning expenses will reach RMB 30,000 ($10,000 \times 3 = \text{RMB } 30,000$), calculated at RMB 3.00 per sofa chair.

Benefits for cleaning companies:

- 1.Improve the competitive ability of cleaning companies, make customers easily accept this kind of companies in terms of comprehensive service image, quality and cost.
2. Enhance work efficiency, reduce labor cost

Benefits for hotels & restaurants, etc.

- 1.Solve problems that the upholstery & furniture are hard to clean away, no negative impacts on normal business operation.
- 2.Reduce the depreciation rate in order to avoid an economic loss.

Advantages:



Mechanical cleaning, highly efficient, even friction, avoiding holes on the upholstery caused by uneven friction.



Recovery tank, convenient for dumping waste water.



Foam brushing, extremely fast drying, eliminating the negative impacts on business due to humidity.



Cleaning brush head equipped with 12V DC motor, safe for use.

Technical Specification:

Model	GMS-1(body)	GMS-2(body)	Model	Brush head
Voltage	220V	220V	Voltage	12VDC
Power	100W	700W	Power	75W
Solution tank/Recovery tank	15L/-	8L/5L	Diameter of brushing pad	125mm
Cable length	4M	4M	Weight	2.7kg
Retractable Hose	—	1. 2M	—	—
Weight	10.3kg	12.3kg	—	—

GMS-3

Dry Foam Sofa Cleaning Machine

Application:

Making use of patented foaming technology (ZL032212437), 3-in-1 (foam making, brushing, water suction), specialized machine for cleaning a wide range of upholstery and decorations, suitable for top-grade venues, such as star-rated hotels, etc.



Technical Specification:

Model	GMS-3(body)	Model	Brush head
Voltage	220V/110V	Voltage	12VDC
Power	1100W	Power	75W
Solution tank/Recovery tank	15L/10L	Diameter of brushing pad	125mm
Cable length	4M	Weight	2.7kg
Retractable Hose	1. 2M	---	---
Weight	24.8kg	---	---

Advantages:



Exquisite, grand, tranquil, suitable for top-grade venues.

Foam brushing, extremely fast dry, avoid negative impacts on business due to humidity.



Quick removal of heavy stains thanks to adjustable water content in foams.

Infinite variable adjustment of brushing speeds, capable of meeting the needs for cleaning decorative surfaces of different materials.



Brush head equipped with 12VDC motor, safe for use.



8-inch big tail wheel with a hand-pull rod, convenient for movement.



Recovery tank, easy to dump.

RFF35

Escalator Cleaning Machine



Application:

Three-in-one(water supply,brushing,water suction) design,professional machine for cleaning all kinds of escalators.



Folding handle design with small machine body, convenient for movement, suitable for services in wide application.



Technical Specification:

Model	RFF35
Voltage	220V
Water pump	56W
Air pump	56L/min
Roll brush motor	180W
Vacuum motor	1000W
Solution tank/Recovery tank	15L/16L
Cleaning width	350mm
Squeegee width	420mm
Dimension	L680*W430*H1000mm



CREATIVE FOR YOU

www.chinagaomei.com

CREATIVE FOR YOU

www.chinagaomei.com



®

Hefei Gaomei Cleaning Equipment Co., Ltd.

Add: No.608 Zhenxing Road Shushan District, Hefei City, Anhui Province, China

Tel: 86 - 551 - 6258 - 8756 / 8778 / 8758

Fax: 86 - 551 - 6512 - 4260

<http://www.chinagaomei.com>

Emai: sales@chinagaomei.com